TOSHIBA

E-STUDIO 6529A **E-STUDIO 7529**A **E-STUDIO 9029**A

Datasheet

- High-volume A3 multifunctional systems with impressive monochrome document output at a speed of up to 90 ppm for diverse document management applications.
- e-BRIDGE Next as the starting point for an efficient communication and a perfect document management.
- Advanced security features offer outstanding protection against unauthorised access to the system or personal data.
- Dual Scan Document Feeder for fast and reliable document processing at a speed of up to 240 ppm.





Specifications

General

Print & Copy Speed

A4: 65/75/90 ppm A3: 30/37/40 ppm

Warm-up Time

~ 15 seconds from low power mode

Paper Size & Weight

Cassettes: $A5R-320 \times 460 \text{ mm}$, $60-300 \text{ g/m}^2$

Tandem-LCF: A4, 60-300 g/m²

Bypass: $100 \times 148 \text{ mm} - 330 \times 483 \text{ mm}$, $60 - 300 \text{ g/m}^2$ Banner paper: up to 313.4 x 1,200 mm, 90-163 g/m²

Paper Capacity

Cassettes: 2x 540 sheets Tandem-LCF: 1x 2,320 sheets Bypass: 1x 120 sheets Max. 8,020 sheets

Automatic Duplex

A5R-A3, 320 x 450 mm-print only 320 x 460 mm-print only, 305 x 457 mm,

60-256 g/m²

Controller Type

Toshiba e-BRIDGE Next

Control Panel

26 cm (10.1") Multi-Touch Colour Panel Security SSD 128 $GB^{(1)}$; 6 $GB^{(1)}$ RAM

Memory Interface

10Base-T/100Base-TX/1000Base-T, High Speed USB 2.0,

WLAN (IEEE802.11a/b/g/n/ac incl. WI-FI direct)/Bluetooth

Dimension &

955 x 698 x 1,227 mm (W x D x H), ~ 193 kg

Starter Kit

Drums, Developers, Waste Toner Box

Print

Resolution

 600×600 dpi, 1 bit, 2,400dpi (Equivalence) x 600dpi (with smoothing), 1,200 x 1,200 dpi, 2 bit (equiv. 3,600 x 1,200 dpi) with PostScript driver only

Page Description Language

PCL5e, PCL5c, PCL6 (PCL XL), PDF and PostScript 3

compatible

Supported Systems

 $Windows\,11/10, Windows\,Server\,2022/2019/2016/Server\,2012/R2, Mac\,OS\,10.12-13, Linux/Unix, Citrix, SAP, AS-400$

Network **Protocols** TCP/IP (IPv4/IPv6), Ether Talk, NetBios over TCP/IP

Mobile Printing

e-BRIDGE Print & Capture, Mopria® Print Service, AirPrint®

Print Functions

Universal Printer Driver, Driver Templates, Driver plug-ins*, Print from USB, Hold Print, Tandem Printing,

E-Mail direct printing

Scan

Resolution

Max. 600 x 600 dpi

Scan Speed

Dual Scan Document Feeder: up to

240 ppm (300 dpi) in Colour and Monochrome

Scan Modes

Auto-Colour (ACS), Colour,

File Formats

 $\label{eq:JPEG_Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, PDF/A-1b, PDF/A-2b, Searchable PDF (and other formats like DOCX, XLSX)$

Scan Functions

WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, Local), Meta Scan*, OCR scan, Scan to Box (e-Filing), WIA, TWAIN

Copy

Resolution (Output)

equiv. 2.400 x 600 dpi (with smoothing)

First Copy Output Time

~5.2/4.5/4.1 seconds

Platen: 25-400%, DSDF: 25-200%

Copy Modes

Text/Photo, Text, Photo, Printed Image,

Copy Functions

Electronic Sort, Rotate Sort, ID Card Copy,

Edge Erase, 2-in-1/4-in-1 mode

Fax*

Communication

Super G3, G3 - (opt. 2nd line)

Transmission Speed

~3 seconds per page

Compression

JBIG, MMR, MR, MH

Fax Memory

1 GB Transmission/Reception

Driver for Windows 11/10, Windows Server

Network-Fax

2022/2019/2016/Server 2012 R2/Server 2012 (64bit)

Incoming Fax Routing

SMB, FTP, E-Mail, e-Filing

System & Security

Device Management

Top Access for remote administration

and configuration

System Features

e-Filing document server for secure storage, Document distribution and Print-on-Demand (1 public box, 200 user boxes), over 1,2 million one-touch templates for storage of personalised settings and workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open Platform Embedded Web Browser, Job Skip, PCL Barcode printing

Accounting & Security

Role Based Access, LDAP support, 1,000 department & 10,000 user codes, Card Reader*, Private Print, Standard data encryption with Toshiba Security SSD, Data Overwrite function when optional HDD is SSS, Data Over Write function When Optional Fibric chosen, IP and MAC address filter, Port Filter, Support of SSL and IPsec* protocols, IEEE802.1x support, CC certified (ISO/IEC15408) with HCD-PP v1.0*, Scan to Secure PDF

Options

EXTERNAL LARGE CAPACITY FEEDER, 2,500-sheet capacity, A4, 60-300 g/m² Type A-MP-2503A

EXTERNAL LARGE CAPACITY FEEDER, Type B-MP-2002A

MULTI-STAPLE FINISHER - MJ-1115

SADDLE-STITCH FINISHER - MJ-1116

HOLE PUNCH UNIT - MJ-6108E/ MJ-6108F/MJ-6108S

Multi-Staple Finisher

2,000-sheet capacity, A4, 60-300 g/m 2 (in combination with MP-2503A)

2 trays, 3,250-sheet capacity, 65-sheet multi-position stapling, A5R-A3, 60-105 g/m² (stapling mode)

2 trays, 3,250-sheet capacity, Saddle-stitched booklets of up to 60 pages, 65-sheet multi-position stapling, A5R-A3, 60-105 g/m² (stapling mode)

Available in 2 holes (E), 4 holes (F), 4 holes (S) for Multi-Staple Finisher MJ-1115 and

HARD DISK DRIVE 320 GB(1) (FIPS 140-2 STANDARD incl. Data Overwrite) - GE-1260

SECURITY SOLID STATE DRIVE 512 GB(1) - GE-1280

FAX BOARD - GD-1370EU

USB HUB - GR-1420

ACCESSORY TRAY - GR-1330

PANEL TEN-KEY - GR-1340

WIRELESS LAN/BLUETOOTH MODULE (incl. WiFi Direct) - GN-4030-A3

e-BRIDGE ID-GATE

ACCESSIBLE ARM - KK-2560

CONNECTOR FOR EXTERNAL LARGE CAPACITY FEEDER(LCF) - KN-9000

(1) 1 GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will

IPsec ENABLER (LICENCE) - GP-1080 Node


MULTI STATION PRINT ENABLER (LICENCE) - GS-1090 Node

META SCAN ENABLER (LICENCE) - GS-1010 Node

UNICODE FONT ENABLER (LICENCE) - GS-1007 Node

HARD COPY SECURITY KIT (LICENCE) - GP-1190 Node

Configuration















About Toshiba Tec

Toshiba Tec Germany Imaging Systems GmbH is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 70 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

Toshiba Tec Germany Imaging Systems GmbH

Carl-Schurz-Str. 7 41460 Neuss Germany

Telephone

+49 2131-1245-0

Fax

+49 2131-1245-402

Website

www.toshibatec.eu

Γ	Together Information is Toshiba's vision for organisations create, record, share, manage data.
	It is based on our belief that the most success those that communicate information in the r
	We make that possible through an integrated industry-specific solutions, all of which refleto to the future of the planet.

how people and and display ideas and

sful organisations are most efficient way.

d portfolio of ect Toshiba's commitment

